

barkman™

70
YEARS

Spaces at Home

2018

6	Driveways
12	Grand Patios
18	Patios
24	Paths
30	Pool Decks
36	Grand Walls & Steps
42	Garden Walls & Pillars
48	Outdoor Kitchens
54	Fireplaces & Firepits
60	Planters
62	Rosetta Collection Specifications
64	Paver Specifications
67	Edger Specifications
68	Slab Specifications
69	Classic Slab Specifications
69	Permeable and Grid Pavements
70	Wall Specifications
72	Important Information
73	Basic Paver Installation Guidelines
74	Basic Wall Installation Guidelines
75	Our Locations

Cover: Verano (p. 66) and Holland Pavers (p. 65)
Page 2 Spread: Lexington Tiles (p. 68)
Actual colours may vary.



For 70 years, Barkman has helped customers make the most of the spaces that matter.

We know that it's not just concrete. It's the spaces we live in. It's where we relax, it's where we entertain, it's where we create memories. It's home and it's also where we write our story.

In 1948 Peter Barkman and his two brothers, Arnold and Edwin started the family company on key values that we still strive to achieve to this day. Those values include integrity, quality, loyalty and innovation. From our honest beginnings to our pursuit of excellence in customer service, we aim to deliver quality products and stand behind them with our lifetime warranty.

Now, 70 years on, we continue to uphold the values Barkman was founded upon, while investing in our future to ensure many more years of concrete innovation. Our state-of-the-art facility in Steinbach, Manitoba is among the most advanced in North America. It represents our continued commitment to creating time-tested and visually stunning concrete.



It enables us to offer our most diverse range of products ever. Whatever look you want – be it traditional or contemporary – you'll find it in Barkman's pavers, slabs, retaining walls and site furnishings, all in a wide array of beautiful colours and shapes.

It's your space, and if it matters to you, it matters to us. It's part of your story. That's why we do our best to ensure all our products exceed industry standards. Our very own product development team is constantly researching new methods and technologies so that we don't just stay up to date, we lead the way. And our team of highly skilled craftsmen make certain that every piece of concrete that leaves our facility is ready to withstand the extremes of the Canadian climate.

Driveways



Your driveway is the first impression people will have of your home. Think of it as the ultimate statement to say that you have arrived. By choosing Barkman, you're getting our highest quality pavers that are built to last. All of our driveway pavers are engineered to endure the everyday wear and tear from your vehicle and have been rigorously tested to withstand today's extreme Canadian climate.

*Broadway Paver (p. 64)
Actual colours may vary.*



- A. Holland Pavers (p. 65)
with paver lights
- B. Navarro Pavers (p. 65)
- C. Broadway Pavers (p. 64)
- D. Roman Pavers (p. 66)
- E. Verano Pavers (p. 66)
with Holland Border (p. 65)



A



Using a contrasting Barkman Paver or colour as a border is a great way of accenting your driveway.



B



C



E



D



- A. Roman Pavers (p. 66)
- B. Cobble Pavers (p. 64)
- C. Verano Pavers (p. 66)
- D. Mesa Flagstone Pavers (p. 66)
- E. Broadway Pavers (p. 64)

More ideas at BarkmanConcrete.com
Actual colours may vary.

Grand Patios



Barkman Grand Patios are built to impress. Custom designed to suit your space, they are a testament to structure and beauty. By combining pavers, walls and steps, you can create the ultimate entertaining area for family and friends. Add in special touches like lighting, planters and firepits and your guests will surely be in awe. Make a statement, make it grand.

*Harvest Grove Outdoor Kitchen on a Bridgewood Slab (p. 68) patio
Actual colours may vary.*



A



B

Combine different pavers and walls
to create a one-of-a-kind patio



C

- A** Verano (p. 66) and Holland Pavers (p. 65)
- B** Roman Pavers (p. 66), Pisa2 Walls (p. 71), Mesa Flagstone Pavers (p. 66) and Rosetta Belvedere Circle Firepit
- C** Quarry Stone Walls (p. 71), Roman Circle and Roman Pavers (p. 66)

More ideas at
BarkmanConcrete.com
Actual colours may vary.



- A** Roman Pavers (p. 66), Rosetta Outcropping Walls (p. 62)
- B** Lexington Tiles (p. 68)
- C** Rosetta Outcropping Walls (p. 62), Roman Pavers (p. 66) with Holland Border (p. 65) and Rosetta Belvedere Circle Firepit
- D** Roman Pavers (p. 66), RomanPisa Walls (p. 70) and Stone Oasis Circle Firepit
- E** Verano Pavers (p. 66), Roman Circle (p. 66), Stone Oasis Fireplace and Wood Storage, Rosetta Outcropping Walls (p. 62), Rosetta Grand Flagstone Slabs (p. 62), Rosetta Belvedere Circle Firepit
- F** Roman Pavers (p. 66), Holland Border (p. 65) and Quarry Stone Walls (p. 71)

Enhance a wide landscape by having different focal points, such as having both a firepit and a fireplace as gathering spaces.

More ideas at BarkmanConcrete.com
Actual colours may vary.



Patios



Big or small, Barkman Patios can fit any space to create your own private getaway. Design a custom patio with our vast selection of pavers and slabs – available in many styles and colours – or choose our prepackaged circle kits that offer all-inclusive convenience. Either way, you can rest easy knowing your Patio has built-in Barkman quality.

*Verano Pavers (p. 66), Pisa2 Walls (p. 71)
Actual colours may vary.*



A

- A** Travertine Tiles (p. 67)
and Custom Rosetta
Kodah Firepit
- B** Broadway Pavers 65mm
(new for 2018) (p. 64)
- C** Terra Nova Slabs (p. 69)
- D** Verano Pavers (p. 66),
Flagstone Pavers (p. 65)
with Holland Border (p. 65),
and Quarry Stone
Walls (p. 71)

*More ideas at BarkmanConcrete.com
Actual colours may vary.*



B

NEW



D



C

*Terra Nova and Bridgewood Slabs (p. 68) have the authentic
look of wood with the durability of concrete.*



- A** Rosetta Dimensional Flagstone Slabs (p. 62) and Rosetta Kodah Walls (p. 63)
- B** Villa Pavers (p. 67)
- C** Brookside Slabs (p. 68)
- D** Broadway Pavers (p. 64)
- E** Rosetta Grand Flagstone Slabs (p. 62), Holland Pavers (p. 65), Rosetta Belvedere Walls (p. 63) and Rosetta Belvedere Circle Firepit




Villa Pavers are lightweight and comes in a single size, allowing for quick and easy installation.



More ideas at BarkmanConcrete.com
Actual colours may vary.






Paths



There's no limit to how simple or complex a Barkman path can be. The only rule is durability. For light foot traffic, Barkman pavers and slabs combine to create unforgettable connections between key points in your landscape. By adding steps and garden walls, you further extend the boundaries of what's possible. Remember, it's not just the destination, it's the journey.

*Terra Nova Slabs (p. 69)
Actual colours may vary.*




Combining different hardscape textures allows for a creative flow to your backyard.



- A Roman Pavers (p. 66)
- B Bridgewood Slab (p. 68) and Roman Pavers (p. 66)
- C Navarro Pavers (p. 65) and Pisa2 Walls (p. 71)
- D Navarro Pavers (p. 65), Bridgewood Steps (p. 68), Travertine Tiles (p. 67), Custom Rosetta Kodah Firepit

More ideas at BarkmanConcrete.com
Actual colours may vary.



- A Lexington Tiles (p. 68)
 B Rosetta Grand Flagstone
 Slabs (p. 62) and Rosetta
 Belvedere Pillar
 C Broadway Pavers (p. 64)
 D Bridgewood Slabs (p. 68)
 E Broadway Pavers (p. 64)

More ideas at BarkmanConcrete.com
 Actual colours may vary.







Pool Decks



Don't just follow the leader, be the leader. You've invested in the supreme backyard signature piece and its surroundings should be equally spectacular. Combine your pool with our Bullnose edging or use our classic Roman or Holland pavers as a border to create a lasting legacy. Elevate your pool experience with Barkman and it will become your own personal oasis, built to impress.

*Rosetta Grand Flagstone Slabs (p. 62)
Actual colours may vary.*



A Lexington Tiles (p. 68) and Architextures Walls (p. 71)
 B Bullnose Pavers (p. 67) and Navarro Pavers (p. 65)
 C Travertine Tiles (p. 67)
 D Rosetta Dimensional Flagstone Slabs (p. 62),
 Stone Oasis Fireplace with Wood Storage

More ideas at BarkmanConcrete.com
 Actual colours may vary.






A



Adding Barkman pavers to your traditional poured concrete pool skirting takes your backyard to the next level.



- A Bridgewood Slabs (p. 68)
- B Navarro Pavers (p. 65) and Bullnose Pavers (p. 67)
- C Flagstone Pavers (p. 65) and Holland Border (p. 65)
- D Terra Nova Slabs (p. 69)
- E Travertine Bullnose (p. 67)



More ideas at BarkmanConcrete.com
Actual colours may vary.




Grand Walls & Steps




When you need to carve the earth and keep it there, failure is not an option. That's why Barkman offers a wide variety of large retaining wall options to fit your landscape. Incorporate our heavy duty steps and you will create a true hardscape that can withstand the pressure. Whether it's purely functional or solely for aesthetics, our walls will endure.

*Rosetta Outcropping Walls (p. 62) and
Rosetta Irregular Steps (p. 63)
Actual colours may vary.*



Combining Rosetta Outcropping Walls and Irregular Steps maximizes the natural look while creating a durable stairway to walk on.



- A** Lexington Tiles (p. 68) and Architectures Walls (p. 71)
- B** Rosetta Outcropping Walls (p. 62) and Rosetta Irregular Steps (p. 63)
- C** Rosetta Belvedere Walls (p. 63)
- D** Pisa2 Walls (p. 70) and Mesa Flagstone Pavers (p.66)

More ideas at BarkmanConcrete.com
Actual colours may vary.






A Rosetta Outcropping Walls (p. 62), Rosetta Dimensional Steps (p. 63), Verano Pavers (p. 66) and Holland Border (p. 65)

B Keystone Compac® III – Hewnstone (p. 72)

C Bridgewood Steps (p. 68) and Travertine Tiles (p. 67)

D Rosetta Dimensional Steps (p. 63) and Roman Pavers (p. 66)

E Lexington Tiles (p. 68) and Archtextures Walls (p. 71)



More ideas at
BarkmanConcrete.com
 Actual colours may vary.





Garden Walls & Pillars



Perfect for retaining flower beds or being used as freestanding accent dividers, these fully customizable garden walls are not only functional, but will also improve your home's curb appeal. You can even accent them with one of our Pillar kits for an added touch. You take great pride in curating your garden. Take it to the next level with Barkman's vast array of available styles, colours and designs.

*Roman Pavers (p. 66) and
Pisa2 Walls (p. 71)
Actual colours may vary.*



A house number sign on Rosetta Kodah wall with LED waterfalls will look great in any house front.



- A** Rosetta Kodah Walls (p. 63)
- B** Rosetta Dimensional Pillar and Wall (p. 63)
- C** Rosetta Kodah Wall (p. 63)
- D** Quarry Stone Walls (p. 71) and Roman Pavers (p. 66)

*More ideas at BarkmanConcrete.com
Actual colours may vary.*



A Quarry Stone Walls and
Stone Oasis Pillar Kit (p. 71)
B StackStone Walls (p. 70)
C Rosetta Belvedere Walls
and Pillars (p. 63)
D RomanStack Walls (p. 70)
E Pisa2 Walls (p. 71) and
Roman Pavers (p. 66)

*More ideas at
BarkmanConcrete.com
Actual colours may vary.*



*Combining walls and pavers to create steps adds
another dimension to your backyard landscape.*



Outdoor Kitchens



Make the most out of the summer months by enjoying a little al fresco cooking and dining. Barkman makes it easy with our prepackaged Harvest Grove Kitchen and Stone Oasis Curved Bar kits which come complete with all the precut pieces you need and detailed instructions. Our modular collection allows you to customize your kitchen to your specific needs with touches such as high end appliances, cutting stations, premium countertops and even a pizza oven.

Harvest Grove Outdoor Kitchen Collection which includes a Pizza Oven, Bar with Fridge, Prep Station with Waste Receptacle, End Unit, Corner Unit, BBQ Grill and Side Burner. Kits are placed on top of a Bridgewood Patio (p. 66). Actual colours may vary.



- A** Harvest Grove Pizza Oven, Quarry Stone Walls (p. 71) and Roman Pavers (p. 66)
- B** Harvest Grove Compact Pizza Oven and Base (new for 2018)
- C** Harvest Grove Napoleon BBQ Grill (new for 2018)
- D** Harvest Grove Outdoor Kitchen Collection includes (from L-R) a Bar with Fridge, Pizza Oven, Prep Station with Waste Receptacle, BBQ Grill and Side Burner) on top of a Roman Paver patio (p. 66)
- E** Harvest Grove Pizza Oven and Travertine Tiles (p. 67)

The new Compact Pizza Oven and Napoleon BBQ grill are additions to our growing lineup of outdoor kitchen kits.

More ideas at BarkmanConcrete.com
Actual colours may vary.





See Barkman 2018 Kits for Spaces at Home brochure or BarkmanConcrete.com for the full line of landscape kit products.

A. Harvest Grove Prep Station with Waste Receptacle
B. Harvest Grove Bar with Fridge
C. Harvest Grove Pizza Oven
D. Harvest Grove Side Burner
E. Harvest Grove Outdoor Kitchen Collection which includes a Pizza Oven, Bar with Fridge, Prep Station with Waste Receptacle, End Unit, Corner Unit, BBQ Grill and Side Burner. Kits are placed on top of a Bridgewood Patio. (p. 68)

More ideas at BarkmanConcrete.com
 Actual colours may vary.



With multiple configurations possible, Harvest Grove kitchen modules integrate seamlessly into existing spaces.



Fireplaces & Firepits



Gather with friends and family around the fire. Barkman's prepackaged Stone Oasis Fireplaces and Firepits make it easy to start enjoying evenings year-round like they were meant to be. Depending on your style, there are a variety of different options to complement your outdoor space. Each kit comes complete with all precut pieces and instructions you need to build your own today.

*Rosetta Belvedere Circle Firepit and Bridgewood Slabs (p. 68)
Actual colours may vary.*



A

Our Stone Oasis Fireplace now comes with an optional Rain Cap (not included in kit) to help protect your chimney from snow and rain.



B



F



C



D



E

- A** Stone Oasis Fireplace with two Wood Storage Units and an optional Rain Cap
- B** Stone Oasis Compact Fireplace with two Wood Storage Units
- C** Rosetta Dimensional Square Firepit, Bridgewood Slabs (p. 68) and Bridgewood Steps (p. 68)
- D** Stone Oasis Square Firepit and Roman Pavers (p. 66)
- E** Stone Oasis Modern Square Firepit (new for 2018), Lexington Tiles (p. 68) and Architectures Wall (p. 71)
- F** Stone Oasis Circle Firepit, Roman Pavers (p. 66), Holland Border (p. 65) and Flagstone Pavers (p. 65)

More ideas at BarkmanConcrete.com
Actual colours may vary.



A Stone Oasis Fireplace with two Wood Storage Units, Verano Pavers (p. 66), Roman Circle (p. 66) and Rosetta Outcropping Walls (p. 62)



B



C

Barkman's firepits can be enjoyed all year round.

*More ideas at
BarkmanConcrete.com
Actual colours may vary.*



E





Planters



Add a touch of flair to your space with a Barkman Glass Fibre Reinforced Concrete Planter – available in many contemporary styles, sizes, and colours to suit your taste.

B



C



D



E



A Cube GFRP Planters

B Elan GFRP Planters, available in round and square

C Contempra GFRP Planters, available in round and square

D Cube GFRP Planters, available in round and square

E Montana GFRP Planters, available in round

F Montana GFRP Planters with trays

G Contempra GFRP Planters

H Contempra GFRP Planters


Also see the Barkman Urban Spaces brochure or BarkmanConcrete.com for many more planter styles, as well as other site furnishings to complete your space. Actual colours may vary.



Rosetta®
Dimensional
Flagstone



Sizes (L x W x H)



610 x 610 x 51 mm
24 x 24 x 2 in



457 x 610 x 51 mm
18 x 24 x 2 in



457 x 457 x 51 mm
18 x 18 x 2 in




305 x 457 x 51 mm
12 x 18 x 2 in



305 x 305 x 51 mm
12 x 12 x 2 in

305 x 152 x 51 mm
12 x 6 x 2 in

Colours



Copper
Canyon



Pacific
Grey



Fon du
Lac

Applications



Grand Patios



Patios
(page 22)



Paths
(page 75)



Pool Decks
(page 32)

Rosetta®
Grand
Flagstone




Sizes (L x W x H)



1067 x 965 x 51 mm
42 x 38 x 2 in

Colours



Copper
Canyon



Pacific
Grey



Fon du
Lac

Applications



Grand Patios
(page 58)



Patios
(page 23)



Paths
(page 28)



Pool Decks
(pages 30–31)

Rosetta®
Outcropping
Wall



Sizes (H x W x D [Taper])

Pallet A

305 x 1067 x 610 [508] mm	12 x 42 x 24 [20] in
305 x 1219 x 610 [508] mm	12 x 48 x 24 [20] in
305 x 1524 x 610 [508] mm	12 x 60 x 24 [20] in
305 x 1676 x 610 [508] mm	12 x 66 x 24 [20] in

Pallet B

152 x 610 x 610 [508] mm	6 x 24 x 24 [20] in
152 x 914 x 610 [508] mm	6 x 36 x 24 [20] in
152 x 1219 x 610 [508] mm	6 x 48 x 24 [20] in
305 x 914 x 610 [508] mm	12 x 36 x 24 [20] in
305 x 1372 x 610 [508] mm	12 x 54 x 24 [20] in
305 x 1829 x 610 [508] mm	12 x 72 x 24 [20] in

Pallet C

152 x 610 x 610 [508] mm	6 x 24 x 24 [20] in
152 x 914 x 610 [508] mm	6 x 36 x 24 [20] in
610 x 1219 x 610 [508] mm	24 x 48 x 24 [20] in
457 x 1524 x 610 [508] mm	18 x 60 x 24 [20] in

Pallet D (Freestanding)

305 x 1524 x 762 mm	12 x 60 x 30 in
305 x 1219 x 762 mm	12 x 48 x 30 in
152 x 1219 x 762 mm	6 x 48 x 30 in


Pallet E (Freestanding)

305 x 1829 x 762 mm	12 x 72 x 30 in
305 x 914 x 762 mm	12 x 36 x 30 in
152 x 914 x 762 mm	6 x 36 x 30 in

Corner

305 x 1219 x 737 mm	12 x 48 x 30 in
---------------------	-----------------

Colours



Copper
Canyon



Pacific
Grey



Fon du
Lac

Applications



Grand Walls
(pages 16, 36–37, 39, 40, 58)

Rosetta®
Belvedere
Wall



Sizes (H x W [Taper] x D)

Wall Pallet

152 x 457 [406] x 229 mm	6 x 18 [16] x 9 in
152 x 305 [225] x 229 mm	6 x 12 [10] x 9 in
152 x 152 [102] x 229 mm	6 x 6 [4] x 9 in
76 x 457 [406] x 229 mm	3 x 18 [16] x 9 in
76 x 305 [254] x 229 mm	3 x 12 [10] x 9 in
76 x 152 [102] x 229 mm	3 x 6 [4] x 9 in


Corner Pallet

76 x 381 [356] x 229 mm	6 x 15 [14] x 9 in
76 x 381 [356] x 229 mm	3 x 15 [14] x 9 in

Coping Pallet

57 x 457 [406] x 260 mm	2.25 x 18 [16] x 10.25 in
57 x 457 [432] x 260 mm	2.25 x 18 [17] x 10.25 in
57 x 305 [254] x 260 mm	2.25 x 12 [10] x 10.25 in
57 x 152 [102] x 260 mm	2.25 x 6 [4] x 10.25 in

Colours



Copper
Canyon



Pacific
Grey



Fon du
Lac

Applications



Garden Walls
(pages 23, 46)



Grand Walls
(page 39)

Also Available:

Rosetta® Irregular Steps (pages 36–37, 39)

Rosetta® Dimensional Steps (page 40)

See *Barkman 2017 Specifications guide*
or *BarkmanConcrete.com* for details.

Rosetta®
Dimensional
Wall



Sizes (H x W [Taper] x D)

Straight

102 x 305 x 203 mm	4 x 12 x 8 in
--------------------	---------------

Wedge

102 x 305 [229] x 203 mm	4 x 12 [9] x 8 in
--------------------------	-------------------

Coping

64 x 610 x 318 mm	2.50 x 24 x 12.50 in
64 x 457 x 318 mm	2.50 x 18 x 12.50 in
64 x 483 x 318 mm	2.50 x 19 x 12.50 in

Colours



Copper
Canyon



Pacific
Grey



Fon du
Lac

Applications



Garden Walls
(page 45)



Grand Walls

Rosetta®
Kodah
Wall



Sizes (H x W x D)


Wall Pallet

152 x 305 x 267 mm	6 x 12 x 10.5 in
152 x 533 x 267 mm	6 x 21 x 10.5 in
152 x 762 x 267 mm	6 x 30 x 10.5 in
152 x 1067 x 267 mm	6 x 42 x 10.5 in

Corner Pallet

152 x 533 x 267 mm	6 x 21 x 10.5 in
--------------------	------------------

Colours



Copper
Canyon



Pacific
Grey



Fon du
Lac

Applications



Garden Walls
(pages 22, 44, 45)



Grand Walls


Broadway
65mm



Sizes (L x W x H)

- 300 x 150 x 65 mm
11.81 x 5.90 x 2.56 in
- 300 x 300 x 65 mm
11.81 x 11.81 x 2.56 in
- 600 x 300 x 65 mm
23.62 x 11.81 x 2.56 in
- 600 x 600 x 65 mm
23.62 x 23.62 x 2.56 in

Colours



**Note: The Broadway 65mm pavers are for pedestrian applications only.

Applications



Grand Patios



Patios
(page 21)



Paths



Pool Decks



Thoroughfares


Broadway
100mm



Sizes (L x W x H)

- 451 x 76 x 100 mm
17.76 x 2.99 x 3.94 in
- 300 x 150 x 100 mm
11.81 x 5.91 x 3.94 in
- 300 x 300 x 100 mm
11.81 x 11.81 x 3.94 in
- 600 x 300 x 100 mm
23.62 x 11.81 x 3.94 in
- 900 x 450 x 100 mm
35.43 x 17.71 x 3.94 in
- 900 x 900 x 100 mm
35.43 x 35.43 x 3.94 in

Colours



Applications



Driveways
(pages 6–7, 8, 11)



Grand Patios



Patios
(page 22)



Paths
(page 28)



Pool Decks



Thoroughfares

**Note: The Broadway 100mm pavers are for pedestrian plazas, driveways and commercial vehicular applications.


Cobble
Paver



Sizes (L x W x H)

- 300 x 150 x 80 mm
11.81 x 5.91 x 3.15 in
- 260 x 150 x 80 mm
10.24 x 5.91 x 3.15 in
- 220 x 150 x 80 mm
8.66 x 5.91 x 3.15 in
- 180 x 150 x 80 mm
7.09 x 5.91 x 3.15 in

Colours



Applications



Driveways
(page 11)



Grand Patios



Patios



Paths
(page 28)



Pool Decks



Thoroughfares

**Note: The Cobble Pavers can also qualify as a permeable pavement.

Flagstone
Paver



Sizes (L x W x H)

- 457.3 x 379.1/228 x 60 mm
18 x 14.92/8.98 x 2.36 in

Colours



Applications



Grand Patios



Patios
(pages 21, 57)



Paths



Pool Decks
(page 35)


Holland
Paver



Sizes (L x W x H)

- 210 x 210 x 60 mm
8.27 x 8.27 x 2.36 in
- 210 x 105 x 60 mm
8.27 x 4.13 x 2.36 in
- Holland 8 cm
210 x 105 x 80 mm
8.27 x 4.13 x 3.15 in

Colours



Applications



Driveways
(pages 8, 9)



Grand Patios
(pages 14, 16, 17, 40)



Patios
(pages 21, 23, 57)



Paths



Pool Decks
(page 35)



Thoroughfares

Navarro
Paver



Sizes (L x W x H)

- 306 x 459 x 80 mm
12.05 x 18.07 x 3.15 in
- 306 x 306 x 80 mm
12.05 x 12.05 x 3.15 in
- 306 x 153 x 80 mm
12.05 x 6.02 x 3.15 in

Colours



Applications



Driveways
(page 8)



Grand Patios



Patios



Paths
(page 27)



Pool Decks
(page 35)



Thoroughfares

Mesa
Flagstone



Sizes (L x W x H)



613.3 x 330.8 x 80 mm
24.14 x 13.02 x 3.15 in

Colours



Sterling



Old
Town



Sierra
Grey

Applications



Driveways
(page 11)



Grand Patios
(page 15, 39)



Patios



Paths



Pool Decks



Thoroughfares

Roman
Paver



Sizes (L x W x H)



210 x 315.5 x 60 mm
8.27 x 12.40 x 2.36 in



210 x 262.5 x 60 mm
8.27 x 10.31 x 2.36 in



210 x 157.5 x 60 mm
8.27 x 6.18 x 2.36 in



210 x 105 x 60 mm
8.27 x 4.13 x 2.36 in

Colours



Charcoal



Desert
Buff



Antique
Brown



Sierra
Grey



Old
Town

Applications



Driveways
(pages 8, 10)



Grand Patios
(pages 15, 16, 17, 40, 47, 51)



Patios
(pages 42–43, 45, 50, 56, 57)



Paths
(pages 26, 27)



Pool Decks



Thoroughfares

Also Available:

Roman Circle Kit
(pages 15, 16, 58)

Size (D x H)
3148 x 60 mm
123.96 x 2.36 in

Verano
Paver



Sizes (L x W x H)



292.1 x 292.1 x 60 mm
11.5 x 11.5 x 2.36 in




292.1 x 146.1 x 60 mm
11.5 x 5.75 x 2.36 in



146.1 x 146.1 x 60 mm
5.75 x 5.75 x 2.36 in

Colours




Antique
Brown



Sierra
Grey



Old
Town



Charcoal

Applications



Driveways
(Cover, page 11)



Grand Patios
(pages 14, 16, 40, 58)



Patios
(pages 18–19, 21)



Paths



Pool Decks
(pages 32)

Villa
Paver



Sizes (L x W x H)




299 x 149 x 51 mm
11.77 x 5.87 x 2 in

Colours



Charcoal



Sierra
Grey

Applications



Patios
(page 22)



Paths

Edgers



I-Con Edger

Size (L x W x H)
314 x 92 x 102 mm
12.375 x 3.625 x 4 in
Colours: Charcoal, Desert Buff, Sierra Grey



Granite Edger

Size (L x W x H)
311 x 102 x 102 mm
12.25 x 4 x 4 in
Colours: Charcoal, Old Town



Villa Edger

Size (L x W x H)
200 x 71 x 102 mm
11.8 x 2.8 x 4 in
Colours: Charcoal, Sierra Grey

Bullnose



Size (L x W x H)
305 x 152 x 60 mm/12.00 x 6.00 x 2.36 in
Finish: Roman, Smooth
Colours: Charcoal
Applications: Pool Decks (pages 32, 35)

Edgers are an economical alternative for any landscape project that requires defined spaces. Use them to surround trees and separate lawns from flowerbeds. They are very versatile and can be used for straight runs or create curves with the round nesting ends on I-Con Edger and Granite Edger.

Travertine
Tile



Sizes (L x W x H)



596 x 596 x 51 mm
23.46 x 23.46 x 2 in



446 x 596 x 51 mm
17.55 x 23.46 x 2 in




296 x 596 x 51 mm
11.65 x 23.46 x 2 in



296 x 596 x 51 mm
11.65 x 23.46 x 2 in
(Bullnose)

Colour



Ivory

Applications



Grand Patios
(page 40)



Patios
(pages 20, 51)



Paths
(page 27)



Pool Decks
(pages 33, 35)

Bridgewood
Slab



Sizes (L x W x H)



890 x 250 x 51 mm
35.04 x 9.84 x 2 in




595 x 250 x 51 mm
23.43 x 9.84 x 2 in



440 x 250 x 51 mm
17.32 x 9.84 x 2 in

Colours



Applications



Grand Patios
(pages 12–13, 48–49, 53, 54–55)



Patios
(page 57, 59)




Paths
(pages 27, 28)



Pool Decks
(page 34)

Also Available:
Bridgewood Steps (pages 27, 40, 57)

See *Barkman 2018 Specifications guide* or *BarkmanConcrete.com* for details.



Brookside
Slab



Sizes (L x W x H)






400 x 400 x 45 mm
15.75 x 15.75 x 1.77 in



400 x 600 x 45 mm
15.75 x 23.62 x 1.77 in

Colours



Applications



Grand Patios



Patios
(page 22)



Paths



Pool Decks

Lexington
Tile



Sizes (L x W x H)





400 x 400 x 45 mm
15.75 x 15.75 x 1.77 in



400 x 600 x 45 mm
15.75 x 23.62 x 1.77 in

Colours



Applications



Grand Patios
(Back Cover, pages 2–3, 16, 38, 41)



Patios



Paths
(page 28)



Pool Decks
(page 32)

Terra Nova
Slab



Sizes (L x W x H)



967 x 254 x 51 mm
38.08 x 10.16 x 2 in

Colours



Applications



Grand Patios



Patios
(page 21)



Paths
(pages 24–25)



Pool Decks

Classic Slabs



Diamondface Slab

Sizes (L x W x H)
610 x 762 x 44 mm/24 x 30 x 1.75 in
610 x 610 x 44 mm/24 x 24 x 1.75 in
457 x 457 x 38.1 mm/18 x 18 x 1.5 in
Colour: Natural
Applications: Paths, Patios



Square Stepping Stone

Size (L x W x H)
305 x 305 x 51 mm/12 x 12 x 2 in
Colours: Natural, Charcoal, Desert Buff
Application: Paths



Footing Pads

Size (L x W x H)
305 x 305 x 102 mm/12 x 12 x 4 in
457 x 457 x 102 mm/18 x 18 x 4 in
457 x 457 x 152 mm/18 x 18 x 6 in
610 x 610 x 152 mm/24 x 24 x 6 in
Colours: Natural

Permeable and
Grid Pavements

Colonial Eco Paver




Size (L x W x H)



157 x 157 x 80 mm/6.18 x 6.18 x 3.15 in
Colours: Special Order
Applications: Driveways, Thoroughfares

Holland Eco Paver




Size (L x W x H)



210 x 105 x 80 mm/8.27 x 4.13 x 3.15 in
Colours: Special Order
Applications: Driveways, Thoroughfares

Turfstone Eco Paver



Size (L x W x H)



599 x 399 x 80 mm/23.58 x 15.71 x 3.15 in
Colour: Natural
Application: Driveways

RomanStack®
Wall



Sizes (H x W [Taper] x D)



Standard
102 x 203 [152] x 203 mm
4 x 8 [6] x 8 in



Coping
102 x 203 [152] x 203 mm
4 x 8 [6] x 8 in





Tight Radius
102 x 152 [102] x 203 mm
4 x 6 [4] x 8 in



Advanced Corner
102 x 203 [165] x 203 mm
4 x 8 [6.5] x 8 in

Colours



Applications



Garden Walls
(page 46)

StackStone®
Wall



Sizes (H x W [Taper] x D)



Standard
102 x 203 [152] x 203 mm
4 x 8 [6] x 8 in



Coping
102 x 203 [152] x 203 mm
4 x 8 [6] x 8 in





Tight Radius
102 x 152 [102] x 203 mm
4 x 6 [4] x 8 in



Advanced Corner
102 x 203 [165] x 203 mm
4 x 8 [6.5] x 8 in

Colours



Applications



Garden Walls
(page 46)

RomanPisa®
Wall



Sizes (H x W x D)



Standard
152 x 203 x 305 mm
6 x 8 x 12 in



12" Corner
152 x 305 x 229 mm
6 x 12 x 9 in



20" Corner
152 x 508 x 229 mm
6 x 20 x 9 in





12" Roman Coping
102 x 203 x 305 mm
4 x 8 x 12 in



14" Roman Coping
102 x 203 x 356 mm
4 x 8 x 14 in

Colours



Applications



Grand Walls & Steps
(pages 16)



Garden Walls
(pages 47, 57)

Pisa2®
Wall



Sizes (H x W x D)



Standard
152 x 203 x 305 mm
6 x 8 x 12 in



12" Corner
152 x 305 x 229 mm
6 x 12 x 9 in



20" Corner
152 x 508 x 229 mm
6 x 20 x 9 in




12" Splitface Coping
102 x 203 x 305 mm
4 x 8 x 12 in



14" Splitface Coping
102 x 203 x 356 mm
4 x 8 x 14 in

Colours



Applications



Grand Walls & Steps
(page 15, 39)



Garden Walls
(pages 18–19, 27, 42–43, 47)

Quarry Stone
Wall



Sizes (H x W [Taper] x D)



Standard
102 x 305 x 203 mm
4 x 12 x 8 in



12" Radius
102 x 305 [273] x 203 mm
4 x 12 [10.75] x 8 in



8" Standard
102 x 203 x 203 mm
4 x 8 x 8 in





8" Radius
102 x 203 [152] x 203 mm
4 x 8 [6] x 8 in



4" Standard
102 x 102 x 203 mm
4 x 4 x 8 in

Colours



Applications



Garden Walls
(pages 15, 17, 21, 45, 46, 50)

Architextures



Sizes (H x W x D)



Smooth Standard
285 x 150 x 900 mm
5.90 x 35.43 x 11.22 in





Smooth Coping
285 x 150 x 900 mm
5.90 x 35.43 x 11.22 in



Smooth Corner
285 x 150 x 900 mm
5.90 x 35.43 x 11.22 in

Colours



Applications



Grand Walls & Steps
(Back Cover, pages 32, 38, 41)



Garden Walls
(page 57)

Keystone Compac® III – Hewnstone



Sizes (H x W x D)



Standard
203 x 457 x 305 mm
8 x 18 x 12 in




Corner
203 x 457.2x 228.6 mm
8 x 18 x 9 in



Coping
100x 450 x 300 mm
3.94 x 17.71 x 11.81 in

Fiberglass alignment pins are sold separately.

Colours



Applications



Grand Walls & Steps
(page 40)



Garden Walls

Important Information

Barkman Certified Accessories



A great hardscape begins with proper installation.



That’s why we recommend and supply Barkman certified accessories like Snap Edge (left) for stability and Techniseal® sealers and polymer sand products (right) to protect your Barkman investment. For more details, download the *Barkman 2017 Specifications* Guide at BarkmanConcrete.com.

The Environment

At Barkman we are committed to being good stewards of the planet. Not only are our products excellent choices for people concerned about the environment, we employ environmental best practices throughout our manufacturing and operations whenever possible.

Quality and Support Pledge

All Barkman products are guaranteed to meet or exceed the Canadian Standards Association (CSA) standards. We use only superior grade materials and employ stringent quality control measures throughout the manufacturing process to ensure a quality product every time. We also support our products with one of the industry’s largest network of dealers and contractors. When you need us, we’ll be there to help.

Lifetime Warranty

All Barkman residential products are warranted against manufacturing defects for as long as you own your home. Should your Barkman product experience damage due to a manufacturing defect, Barkman will cheerfully replace the damaged product free of charge (proof of purchase is required). Colour matching cannot be guaranteed and installation labour is not included. This warranty does not include splitting, chipping, cracking or other damage that may be caused by impact, abrasion, overloading or improper installation.

How to Order

Ordering Barkman products is as simple as calling or visiting one of our many dealers or contractors. Please be ready to specify product style and colour choice if required. If working directly with a contractor please be sure to specify Barkman products to ensure Barkman quality. For Winnipeg customers requiring steps, please contact our Winnipeg office directly. Note that all specifications in the product catalogue are nominal.

Actual Colours May Vary

Every effort has been made to ensure accuracy in the colour representations found in this product catalogue. However, due to the natural characteristics of concrete, the manufacturing process and print reproduction, actual colours in the final product may vary from that shown.

Installation and Project Estimation Support

Barkman provides easy-to-read installation guides that contain simple step-by-step instructions to help make installation a snap. Visit BarkmanConcrete.com to download a copy. Our website also features a project calculator that allows you to easily estimate the quantity of Barkman material and accessories you will need for your project.



Barkman Concrete Limited is a proud member of the Interlocking Concrete Pavement Institute



Select Furniture Provided By:

**Wicker World
Home + Patio**

120 McPhillips Street,
Winnipeg, MB
204 779 2900
wickerworld.ca

**Baukorb
Outdoor Furniture**

74 Princess Street,
Winnipeg, MB
204 979 1613
baukorb.com

Basic Paver Installation

Equipment Needed

Broom, concrete saw, guide string, gloves, hammer (0.9–1.4 kg/ 2–3 lb.), knee pads, pencil, plate compactor, rake, level, wood leveling board (51 x 102 mm, 2.4–3.0 m/2 x 4 in., 8–10 ft. long), leveling guides (two, 25.4 mm/1 in. diameter pipes or wood, 3.0 m/10 ft. long), shovel, spray paint, stakes, tape measure, safety glasses, trowel, wheelbarrow

Getting Started

- Layout design on paper
- Estimate required amount of Barkman product, edge restraint (Barkman Snap Edge recommended), coarse granular base and coarse bedding sand needed (see BarkmanConcrete.com for product estimator)

Ground Preparation


- Transfer design onto the ground at the site using spray paint
- Mark the top of the desired finished surface, using stakes and guide string (A) (for minimal slope drainage, 25.4 mm/1 in. of vertical elevation for every 2.4 m/8 ft. of horizontal surface is recommended)
- Excavate ground below the surface guide string line (B) to desired depth (see install guides at BarkmanConcrete.com)
- Spread granular base (C), dampen and compact with a plate compactor, 76 mm/3 in. below surface guide string (do not walk on screed sand base)

Installing Pavers

- Install edge restraint (D) on starting edge
- Spread 25.4 mm/1 in. layer of bedding sand (E), using the leveling boards and leveling guides
- Lay pavers (F), keep level to surface guide string and use additional guide string to keep pavers square
- Use concrete saw to cut pavers as needed to fit your design

Finishing

- Install edge restraint on remaining edges
- Use plate compactor over entire surface
- Sweep coarse sand or polymeric sand into all spaces between pavers, repeat step after 2 days (see instructions on polymeric sand packaging for further details)



Barkman products can be installed by the do-it-yourselfer, however a certain degree of landscaping skill is required. These are examples of a basic paver and retaining wall installations to provide you with an idea of the process involved. For more in depth installation guides for specific products, or to find an authorized Barkman installer, visit BarkmanConcrete.com.

Caution: Before any digging, always consult your local utility companies for the location and depth of pipes, cables and conduits. Dry sawing or grinding of concrete products may result in the release of respirable crystalline quartz. Prolonged exposure to respirable crystalline quartz may cause delayed (chronic) lung injury (silicosis). The use of a NIOSH-approved respirator and tight fitting goggles is recommended when sawing or grinding operations are in progress.

Basic Wall Installation

Equipment Needed

- Broom, chisel, concrete saw, guide string, gloves, rubber mallet, knee pads, pencil, rake, level, shovel, stakes, tape measure, safety glasses, trowel, wheelbarrow

Getting Started

- Layout design on paper
- Estimate required amount of barkman product, well-graded granular base, top soil, filter cloth and masonry adhesive needed
(see BarkmanConcrete.com for product estimator)

Ground Preparation


- Excavate a trench (A) 203–305 mm/8–12 in. deep and 406–610 mm/16–24 in. wide along the entire length of the wall (larger walls require larger trenches – see specific product installation guides for exact details)
- Compact base soil to ensure stability (B)
- Lay filter cloth (C) under granular base and against the exposed face of the excavation
- Spread 102–152 mm/4–6 in. layer of granular base (D), compact
- Position leveling string to mark location of the first course

Installing Units

- Lay first course (E) on prepared base (at least 51 mm/2 in. below grade), keep each unit level front to back and side to side
- Place drain tile (F) on prepared base, behind the first course
- Sweep top of first course, place next offsetting course (G), back fill with granular rock on top of filter cloth
- Repeat offsetting courses (H) and back fill until desired height is reached
- Secure last course (I) with adhesive and apply pressure to secure

Finishing

- 152 mm/6 in. from top of wall, pull filter cloth back towards the wall, on top of back fill (J)
- Fill remaining space with top soil (K) (cover the pulled back filter cloth) to make ground level with wall
- Fill remaining trench space in front of the wall with top soil (L) sloping away from the wall



Our Locations

STEINBACH OFFICE

152 Brandt Street, Steinbach, MB R5G 0R2
T 204 326 3445 or 1 800 461 2278 F 204 326 5915
Steinbach@BarkmanConcrete.com

WINNIPEG OFFICE

901 Gateway Road, Winnipeg, MB R2K 3L1
T 204 667 3310 or 1 800 342 2879 F 204 663 4854
Winnipeg@BarkmanConcrete.com

CALGARY OFFICE

813 McCool Street, Box 1136, Crossfield, AB T0M 0S0
T 403 946 4630 F 403 946 4631
Calgary@BarkmanConcrete.com

VANCOUVER OFFICE

2104-290 Newport Drive, Port Moody, BC V3H 5N2
T 778 689 7670 or 1 800 461 2278 F 604 949 0321
Vancouver@BarkmanConcrete.com

SASKATOON DISTRIBUTION CENTER

3550 Idylwyld Drive North, Saskatoon, SK
T 1 306 549 7544

KELOWNA DISTRIBUTION CENTER

1904 Old Okanagan Highway, Westbank, BC
T 1 204 346 9490

SURREY DISTRIBUTION CENTER

8167 132nd Street, Surrey, BC
T 1 204 346 9490

237637-0117 Made in Canada

barkman™

70
YEARS



BARKMAN CONCRETE LIMITED
BarkmanConcrete.com

